

G

Industrial Heater Guide

Blow Heater

The Blow Heater is predominately used for industrial heating and is perfect for getting rid of the early morning chill in your workplace. Available in different sizes, the Blow Heater provides the warmth you need, fast.

Features:

- 220 240 Volts electricity supply
- Approved by the Australian Gas Association
- · Connects to a 45kg LPG cylinder
- Odourless operation, no fumes
- · Safety shut-off gas/flame/fan failure and overheat

Safety information:

- · Not designed for indoor residential use
- · Allow a minimum room size as listed on the heater
- · Permanent ventilation to outside atmosphere must be provided

SA Global approved





SPECIFICATIONS					
	HF 15	HF 20	HF 30	HF 50	
Maximum heat output	54 MJ/HR	72 MJ/HR	108 MJ/HR	170 MJ/HR	
Dimensions (mm)	250w x 510d x 360h	270w x 500d x 440h	320w x 600d 490h	300w x 700d x 480h	
Approx gas consumption rate per 45kg LPG^	41 hours	31 hours	20 hours	13 hours	
BTU/H	51182	68242	102364	161128	
Motor rating	28W	28W	75W	75W	
Electric connection	10A	10A	10A	10A	
Operating pressure	70kPa	70kPa	150kPa	150kPa	
Minimum room volume	270m ³	360m ³	540m ³	900m³	
Ignition	Piezo	Piezo	Automatic	Automatic	
Automatic safety switch	Yes	Yes	Yes	Yes	
Warranty [†]	12 months				

^ Please speak to a Supagas representative to work out minimum gas quantity you will require. † For further warranty details refer to back page.





Heat-Flo Gas Radiant Heater

These powerful heaters are ideal for industrial use such as warehouses and factories. All sizes are wall mountable or available on a movable trolley and stand.

Features:

- Manual Piezo Ignition
- Approved by the Australian Gas Association
- Connects to a 8.5kg, 13.5kg Heatagas or 45kg LPG cylinder
- Wall-mounting bracket
- Safety flame safeguard system

SPECIFICATIONS					
	3 Tile	5 Tile			
Colours	Stainless Steel				
Maximum heat output	25 MJ/HR	45 MJ/HR			
Dimensions (mm)	499w x 180d x 334h	695w x 180d x 334h			
Area heated m ² (up to)	16m²	25m ²			
Warranty [†]	12 months				



Patio Heater

A cost effective heating solution

The Patio Heater is one of the most popular outdoor heating solutions. At 50mj/hr, it is the hottest heater in the market. This heater is ideal and perfect for any sized place.

Features

- A direct ignition system for trouble free lighting
- Hottest heater in the market
- Connects to an 8.5kg or 13.5kg Heatagas cylinder

SPECIFICATIONS				
Colours	Stainless steel			
Maximum heat output	50MJ/HR			
Height (metres)	2.180m			
Reflector diameter (mm)	813mm			
Area heated m ² (up to)	28m ²			
Warranty [†]	12 months			





Industrial Heater Guide

Why choose Supagas?

- Supagas is a leading gas supplier since 1982.
- We believe safety comes first! We take the time to educate our customers on safety when handling heaters and Heatagas.
- Quality customer service and no automatic voice prompts!
- Hassle free scheduled deliveries so you don't need to order.

Heater servicing and maintenance $^{\scriptscriptstyle \dagger}$

Supagas provides servicing and maintenance for our heaters, a benefit which no other company provides meaning, your venue will never be without heat during the winter months.

- Highly trained maintenance staff.
- On-site servicing for Supagas customers.
- All heaters are fully maintained.
- Customer owned heater servicing available (this is subject to T&C[†]).

Terms and conditions.

† Free maintenance is labour only. Parts are not included. Supagas must supply the customers Heatagas requirements. Supagas Gas Supply Agreement (GSA) required. All purchased heaters have 12 months back to base manufacturer's warranty. Please see our website for full warranty details. Courier fees may apply.

Please note: Heaters are available for purchase or hire.

Not all heaters are available in all locations within Australia. To find out if a heater is available in your area please contact Supagas for more information. Heatagas cylinders are not included with heaters.

Supagas Heater Brochure was published April 2022.

SERVICING AUSTRALIA WIDE







